# **DEMKO CERTIFICATE**

Certificate No. D-06887 Page 1/3

**Date of Issue** 2018-11-08

Certificate Holder TDK-LAMBDA CORP

NAGAOKA TECHNICAL CENTER

2704-1 SETTAYA-MACHI

NAGAOKA-SHI

NIIGATA-KEN 940-1195 JAPAN

Manufacturer TDK-LAMBDA CORP

NAGAOKA TECHNICAL CENTER

2704-1 SETTAYA-MACHI

NAGAOKA-SHI

NIIGATA-KEN 940-1195 JAPAN

Production site TDK-LAMBDA CORP

2704-1 SETTAYA-MACHI NAGAOKA-SHI NIIGATA-KEN 940-1195

**JAPAN** 

Certified Product DC-DC Converter

Model CC1R5-wwxxyz#-E, CC3-wwxxyz#-E, CC6-wwxxyz#-E

See Page 2

**Trademark** 

TDK-Lambda

Rated Voltage / Frequency See Page 2
Rated Current / Power See Page 2
Insulation Class Not Classified

Degree of protection (IP) IPX0

**Tested acc. to** EN 62368-1:2014/A11:2017, EN 62368-1:2014 **Test Report No.** E132035-A6005-CB-1 issued on 2018-11-06

Additional for building-in

**Expire date** 2028-11-07

Certification Manager Jan-Erik Storgaard This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D Mark Requirements. The Designated Certificate holder is entitled to use the d or for cables <DEMKO> for the Certified Product manufactured at the production site(s) identified above, in accordance with the D Mark Service Agreement, including without limitation the D Mark Testing and Certification Services Service Terms. Only those Products bearing the D Mark should be considered as being covered by UL's D Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the expiration date.

**Certification Body** 

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



# **Appendix DEMKO CERTIFICATE**

Certificate No. D-06887

Page 2/3

Date of Issue 2018-11-08

## Model Details:

CC1R5-wwxxyz#-E,CC3-wwxxyz#-E,CC6-wwxxyz#-E (ww = 05, 12, 24 or 48. xx = 03, 05 or 12. y = S or D. z = F, R or S. y = A to Z or blank.)

### Ratings:

Input:

4.5 - 9 Vdc (for Model ww = 05)

 $9 - 18 \text{ Vdc (for Model ww} = 12)}$ 

18 - 36 Vdc (for Model ww = 24)

36 - 76 Vdc (for Model ww = 48)

#### Output:

3.3 to 3.6 Vdc, 400 mA, 1.32 W (for ModelCC1R5-ww03Sz#-E)

3.3 to 3.6 Vdc, 800 mA, 2.64 W (for Model CC3-ww03Sz#-E)

3.3 to 3.6 Vdc, 1200 mA, 3.96 W (for Model CC6-0503Sz#-E)

3.3 to 3.6 Vdc, 1500 mA, 4.95 W (for Model CC6-ww03Sz#-E, except ww = 05)

5.0 to 6.0 Vdc, 300 mA, 1.5 W (for Model CC1R5-ww05Sz#-E)

5.0 to 6.0 Vdc, 600 mA 3.0W (for Model CC3-ww05Sz#-E)

5.0 to 6.0 Vdc, 1000 mA, 5.0 W (for Model CC6-0505Sz#-E)

5.0 to 6.0 Vdc, 1200 mA, 6.0 W (for Model CC6-ww05Sz#-E, except ww = 05)

12 to 15 Vdc, 125 mA, 1.5 W (for Model CC1R5-ww12Sz#-E)

12 to 15 Vdc, 250 mA, 3.0 W (for Model CC3-ww12Sz#-E)

12 to 15 Vdc, 500 mA, 6.0 W (for Model CC6-ww12Sz#-E)

+/-12 to +/-15 Vdc, 60 mA, 1.44 W (for Model CC1R5-ww12Dz#-E)

+/-12 to +/-15 Vdc, 125 mA, 3.0 W (for Model CC3-ww12Dz#-E)

+/-12 to +/-15 Vdc, 250 mA, 6.0 W (for Model CC6-ww12Dz#-E)

**Certification Body** 

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



